

Notice of Allowability	Application No.	Applicant(s)	
	10/044,866	WICKMAN, RANDY	
	Examiner	Art Unit	
	John D. Lee	2874	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to the amendment submitted on July 29, 2004.
2. ☒ The allowed claim(s) is/are 1-14.
3. ☒ The drawings filed on 10 January 2002 are accepted by the Examiner.
4. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - a) ☐ All b) ☐ Some* c) ☐ None of the:
 1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

* Certified copies not received: _____.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.
THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

5. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
 6. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
 - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
 - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date _____.
 - (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.
- Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
7. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

- | | |
|---|--|
| 1. <input type="checkbox"/> Notice of References Cited (PTO-892) | 5. <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| 2. <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | 6. <input type="checkbox"/> Interview Summary (PTO-413),
Paper No./Mail Date _____. |
| 3. <input type="checkbox"/> Information Disclosure Statements (PTO-1449 or PTO/SB/08),
Paper No./Mail Date _____ | 7. <input type="checkbox"/> Examiner's Amendment/Comment . |
| 4. <input type="checkbox"/> Examiner's Comment Regarding Requirement for Deposit
of Biological Material | 8. <input checked="" type="checkbox"/> Examiner's Statement of Reasons for Allowance |
| | 9. <input type="checkbox"/> Other _____. |

John D. Lee
John D. Lee
Primary Examiner


EXAMINER'S STATEMENT OF REASONS FOR ALLOWANCE

The following is an Examiner's Statement of Reasons for Allowance: The Duveneck et al reference has been carefully considered in light of the claims, as amended herein. The claims now require the transmission of optical communication signals through the device, as well as a plurality of optical fibers within an optical connector on the same side of the substrate as the optical gratings (which is the opposite side of the substrate from where the array of photo-transmitters/photo-receivers are attached). It is very clear from a study of Duveneck et al that neither of these two features are present or possible in that patented structure (and method). Duveneck et al is directed to chemical sensing and analyzing, a field that is not remotely related to optical communication, so optical communication signals cannot possibly be present therein. Also, the only possible arrangement for optical fibers within an optical connector in Duveneck et al is for remote placement of the array of photo-transmitters/photo-receivers (FIG. 6), so such connector/fiber arrangement is always on the opposite side of the substrate from what is specified in applicant's claims. There is no suggestion in Duveneck et al or any other prior art of record that would have motivated a person of ordinary skill in the art to modify the Duveneck et al device in the manner being claimed herein. Claims 1-14 of the present application are thus allowed.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Art Unit: 2874

Any inquiry concerning the merits of this communication should be directed to Examiner John D. Lee at telephone number (571) 272-2351. The Examiner's normal work schedule is Tuesday through Friday, 6:30 AM to 5:00 PM. Any inquiry of a general or clerical nature (i.e. a request for a missing form or paper, etc.) should be directed to the Technology Center 2800 receptionist at telephone number (571) 272-1562, to the technical support staff supervisor (Team 8) at telephone number (571) 272-1564, or to the Technology Center 2800 Customer Service Office at telephone number (571) 272-1626.


John D. Lee
Primary Patent Examiner
Group Art Unit 2874